

# Prestige

# Our Top Of The Line Telescoping Ladder



**350 lb. Capacity**  
**Residential Use Only**




## FEATURES

- Powder coated steel
- Safety handles
- 4' telescoping steel handrail
- 2" styrofoam core door
- Double weather stripping
- Protective floor bumpers
- Steel frame with built-in trim
- Melamine finished door

MODEL #	COLOR	ROUGH OPENING SIZE	TREAD WIDTH	FLOOR TO CEILING HEIGHT RANGE
M2236	WHITE	22 1/2" x 36"	12"	7'- 4" to 9' - 10"
M2254	YELLOW	22 1/2" X 54"	12"	7'- 4" to 9' - 10"
M2254H	ORANGE	22 1/2" X 54"	12"	9' - 10" to 11' - 6"
M2554	BLUE	25 1/2" X 54"	14"	7'- 4" to 9' - 10"
M3060S	GREEN	30" X 60"	16"	7'- 4" to 9' - 10"
M3060H	RED	30" X 60"	16"	9' - 10" to 11' - 6"

# Galaxy

## Remote Controlled Telescoping Ladder



### FEATURES

- Operates only while remote is depressed - for safety. Stops if obstructed.
- Manual operation in case of power failure.
- Steel frame with built-in trim
- 4' steel telescoping handrail
- Protective floor bumpers
- Fire rated steel door



**30 Minute Fire Rating**

MODEL #	COLOR	ROUGH OPENING SIZE	TREAD WIDTH	FLOOR TO CEILING HEIGHT RANGE
G2755	GRAY	27 3/4" X 55 1/4"	14"	7' - 2" to 10' - 2"

# Star

## Our Mid Range Telescoping Ladder



### FEATURES

- Powder coated steel
- 1" styrofoam core door
- Weather strip
- Protective floor bumpers
- Melamine finished door

MODEL #	COLOR	ROUGH OPENING SIZE	TREAD WIDTH	FLOOR TO CEILING HEIGHT RANGE
S2236	GRAY	22 1/2" x 36"	12"	7'- 4" to 10'
S2254	GRAY	22 1/2" X 54"	12"	7'- 4" to 10'
S2554	GRAY	25 1/2" X 54"	14"	7'- 4" to 10'
S3060	GRAY	30" X 60"	16"	7'- 4" to 10'

# F Series

# Our Tallest Folding Attic Ladders



## FEATURES

- 4 separate one-piece steel handrails
- All powder coated steel
- 1 1/4" X 3" side rails
- Spring assists for easier operation
- Weight capacity - 570 lbs.
- Locking safety latches between sections
- Built-in 1 1/2" steel trim (no wood casing needed)
- Sturdy 1/2" plywood door with positive latch
- Protective floor bumpers
- Anti-skid tread strips

Height Series	Model #	Color	Rough Opening Dimension	Tread Width	Floor To Ceiling Height Range
F 10 Series	F2260-10	WHITE	22 1/2" X 60"	10"	9'- 6" to 10' - 4"
	F3060-10	WHITE	30" X 60"	17"	9'- 6" to 10' - 4"
F 11 Series	F2260-11	WHITE	22 1/2" X 60"	10"	10'- 8" to 11' - 4"
	F3060-11	WHITE	30" X 60"	17"	10'- 8" to 11' - 4"
F 12 Series	F2260-12	WHITE	22 1/2" X 60"	10"	11'- 8" to 12' - 4"
	F2560-12	WHITE	25 1/2" X 60"	12 1/2"	11'- 8" to 12' - 4"
	F3060-12	WHITE	30" X 60"	17"	11'- 8" to 12' - 4"
F 13 Series	F2275-13	WHITE	22 1/2" X 75"	10"	12'- 6" to 13' - 4"
	F2575-13	WHITE	25 1/2" X 75"	12 1/2"	12'- 6" to 13' - 4"
	F3075-13	WHITE	30" X 75"	17"	12'- 6" to 13' - 4"
F 14 Series	F2275-14	WHITE	22 1/2" X 75"	10"	13'- 3" to 14' - 4"
	F2575-14	WHITE	25 1/2" X 75"	12 1/2"	13'- 3" to 14' - 4"
	F3075-14	WHITE	30" X 75"	17"	13'- 3" to 14' - 4"
F 15 Series	F2275-15	WHITE	22 1/2" X 75"	10"	14'- 9" to 15' - 4"
	F2575-15	WHITE	25 1/2" X 75"	12 1/2"	14'- 9" to 15' - 4"
	F3075-15	WHITE	30" X 75"	17"	14'- 9" to 15' - 4"



# ProTech-12

## Our Best Fire Rated Telescoping Ladder

**12 Foot  
Height**



**350 lb.  
Capacity**  
**Residential Use  
Only**



### FEATURES

- Steel frame with built-in trim
- Powder coated steel
- Unique sliding frame
- Protective floor bumpers
- Fire rated steel door
- 12' maximum height




**75 Minute Fire Rating**

MODEL #	COLOR	ROUGH OPENING SIZE	TREAD WIDTH	FLOOR TO CEILING HEIGHT RANGE
PT3060-12	GRAY	30" x 60"	14"	10'- 4" to 12'

# ProTech

## A True Fire Rated Folding Attic Ladder



### FEATURES



- Steel frame with built-in trim
- Powder coated steel
- One piece steel handrail
- Protective floor bumpers
- Assist springs for easy operation
- Fire rated steel door



### 30 Minute Fire Rating

MODEL #	COLOR	ROUGH OPENING SIZE	TREAD WIDTH	FLOOR TO CEILING HEIGHT RANGE
PT2351	WHITE	23 1/2" x 51 1/4"	14"	8' to 10'

# WallAccess Disappearing, Vertical Wall Access Stair




## FEATURES

- Powder coated steel
- Unique sliding frame
- Protective floor bumpers
- Special pivoting frame
- Conserves space

MODEL #	COLOR	MIN. ROUGH OPENING SIZE	TREAD WIDTH	See "A" Above HEIGHT RANGE
WA2648-92	GRAY	26" x 48"	14"	6' - 10" to 7' - 8"
WA2648-102	GRAY	26" x 48"	14"	7' - 8" to 8' - 6"
WA2648-112	GRAY	26" x 48"	14"	8' - 6" to 9' - 4"
WA2648-122	GRAY	26" x 48"	14"	9' - 4" to 10' - 2"

# Lofty

## For Loft Or Attic Access Where Space Is Minimal



### FEATURES

- Powder coated steel
- Unique sliding frame
- Protective floor bumpers
- Mounts easily to loft face
- Conserves space

MODEL #	COLOR	MIN. ROUGH OPENING SIZE	TREAD WIDTH	See "A" Above HEIGHT RANGE
L2333-92	GRAY	24" X 34"	14"	6' - 10" to 7' - 8"
L2333-102	GRAY	24" X 34"	14"	7' - 8" to 8' - 6"
L2333-112	GRAY	24" X 34"	14"	8' - 6" to 9' - 4"
L2333-122	GRAY	24" X 34"	14"	9' - 4" to 10' - 2"